



[LEARN MORE NOW](#)

Dysport[®]
abobotulinumtoxinA
300 Units for Injection

or loss of bladder control. Swallowing and breathing problems can be life threatening and there have been reports of death.

Scroll down for more Important Safety Information.

[Prescribing Information](#) [Medication Guide](#)

Skin Care | Anti-Aging

How to Take Control of the Aging Process

Sponsored by Dysport (abobotulinumtoxinA) 300 units for injection



Dysport[®]
abobotulinumtoxinA
300 Units for Injection

[LEARN MORE NOW](#)

voice, trouble saying words clearly, or loss of bladder control. Swallowing and breathing problems can be life threatening and there have been reports of death.

Scroll down for more Important Safety Information.

[Prescribing Information](#) [Medication Guide](#)

You know the drill: Wash face, apply cream, wear sunscreen, take off makeup, repeat. But the fact of the matter is, despite your healthiest habits, aging is inevitable. That doesn't mean, however, that you're stuck having to look less than your best. The more you know about how and why your skin changes, the better equipped you are to take charge and age beautifully.

There's a Science Behind What Makes Skin Look Youthful

It turns out, looking young isn't subjective—there's a real science behind youthful-looking skin and it starts with hyaluronic acid, a naturally occurring substance that gives skin its fullness. When hyaluronic acid diminishes (a natural and inevitable part of aging), that's what causes skin to look thinner and more wrinkled.

Spotting your first frown line between your eyebrows might be the universal trigger for suddenly "feeling old," but time isn't the only factor that causes lines on your face. In fact, the biggest contributor to the formation of lines and wrinkles is repeated movements and muscle contraction (think: smiling, frowning, squinting)—in other words, having an expressive face, which is why lines and wrinkles may develop even in young adults.



Dysport
abobotulinumtoxinA
300 Units for Injection

[LEARN MORE NOW ▶](#)

voice, trouble saying words clearly, or loss of bladder control. Swallowing and breathing problems can be life threatening and there have been reports of death.

Scroll down for more Important Safety Information.

[Prescribing Information](#) [Medication Guide](#)

Topical Treatments Can Only Do So Much

While a good skin care regimen should include a number of over-the-counter products, creams and lotions can only go so far. Yes, adding in moisture and plumping the skin can temporarily fade the appearance of lines and wrinkles, but they can't deliver any long-lasting results.

But there's no need to look old--you can stand up to the line with **Dysport**, a prescription injectable treatment for the temporary improvement in the look of moderate to severe frown lines between the eyebrows (glabellar lines) in adults less than 65 years of age.



You Can Treat Your Frown Lines And Still Look Natural

With **Dysport**, you can take control of your look. Aging might be inevitable, but living with frown lines between the eyebrows is not. The injectable lets you forget about your frown lines between the brows for up to 4 months*, but without having to worry about a frozen look. In other words, **Dysport** may be an option for women who are interested in showing off their natural beauty, who want to keep expressing themselves and continue looking like who they are.

* GL-1 and GL-3 evaluated subjects for at least 150 days following treatment. Based on investigator assessment at 120 days, the percentage of responders in GL-1 was 23% with Dysport (24/105) and 4% with placebo (2/53); in GL-3, the percentage was 29% with Dysport



Dysport
abobotulinumtoxinA
300 units for injection

[LEARN MORE NOW](#)

voice, trouble saying words clearly, or loss of bladder control. Swallowing and breathing problems can be life threatening and there have been reports of death.

Scroll down for more Important Safety Information.

[Prescribing Information](#) [Medication Guide](#)

Natural Looking Results

With 97% of users saying they would get it again*, you can trust **Dysport** to deliver natural looking results. The reason? Because **Dysport** treats your frown lines between the eyebrows without changing the the look of your whole face.

*Dysport Challenge. Data on file, Galderma Laboratories, L.P.

The most common side effects are nose and throat irritation, headache, injection site pain, injection site skin reaction, upper respiratory tract infection, eyelid swelling, eyelid drooping, sinus inflammation, and nausea.



[FIND A SPECIALIST TODAY ▶](#)

Dysport
abobotulinumtoxinA
300 Units for Injection

problems can be life threatening and there have been reports of death.
Scroll down for more Important Safety Information.
 The risk of symptoms is probably greatest in
Prescribing Information Medication Guide

Dysport is Chosen By Women Everywhere

If you're under the age of 65, and don't want to worry about frown lines between the eyebrows, **Dysport** could be a good option for you. In just one 10 to 20 minute treatment, **Dysport** can help improve the look of your frown lines between the eyebrows for up to 4 months* with the majority of patients seeing results in just 2 to 3 days**. That means, less time worrying about your skin care and more time loving the skin you're in.

*GL-1 and GL-3 evaluated subjects for at least 150 days following treatment. Based on investigator assessment at 120 days, the percentage of responders in GL-1 was 23% with Dysport (24/105) and 4% with placebo (2/53); in GL-3, the percentage was 29% with



Dysport
abobotulinumtoxinA
300 Units for Injection

[LEARN MORE NOW ▶](#)

and breathing problems can be life threatening and there have been reports of death.
Scroll down for more Important Safety Information.
 The risk of symptoms is probably greatest in children
Prescribing Information Medication Guide

Dysport is a prescription injection for temporary improvement in the look of moderate to severe frown lines between the eyebrows (glabellar lines) in adults less than 65 years of age.

Important Safety Information

What is the most important information you should know about *Dysport*?

Spread of Toxin Effects: In some cases, the effects of *Dysport* and all botulinum toxin products may affect areas of the body away from the injection site. These effects can cause symptoms of a serious condition called botulism. Symptoms of botulism can happen hours to weeks after injection and may include swallowing and breathing problems, loss of strength and muscle weakness all over the body, double vision, blurred vision and drooping eyelids, hoarseness or change or loss of voice, trouble saying words clearly, or loss of bladder control. Swallowing and breathing problems can be life threatening and there have been reports of death.

The risk of symptoms is probably greatest in children treated for muscle spasms but symptoms can also occur in adults treated for muscle spasms and other conditions, particularly in those patients who have underlying conditions that would predispose them to these symptoms.

The toxic effects have been reported at doses similar to those used to treat muscle spasms in the neck. Lower doses, in both approved and unapproved uses, have also caused toxic effects.

This includes treatment of children and adults for muscle spasms.

These effects could make it unsafe for you to drive a car, operate machinery, or do other dangerous activities.

Do not have *Dysport* treatment if you: are allergic to *Dysport* or any of its ingredients (see the end of the Medication Guide for a list of ingredients), are allergic to cow's milk protein, had an allergic reaction to any other botulinum toxin product, such as Myobloc® or Botox,® or have a skin infection at the planned injection site.

The dose of *Dysport* is not the same as the dose of any other botulinum toxin product. The dose of *Dysport* cannot be compared to the dose of any other botulinum toxin product you may have used.

***Dysport* may not be right for you if:** you have surgical changes to your face, very weak muscles in the treatment area, your face looks very different from side to side, the injection site is inflamed, you have droopy eyelids or sagging eyelid folds, deep facial scars, thick oily skin, or if your wrinkles can't be smoothed by spreading them apart.

Tell your doctor about all your medical conditions, including if you have: a disease that affects your muscles and nerves (such as amyotrophic lateral sclerosis [ALS or Lou Gehrig's disease], myasthenia gravis, or Lambert-Eaton syndrome), allergies to any botulinum toxin product or had any side effect from any botulinum toxin product in the past, a breathing problem (such as asthma or emphysema), swallowing problems, bleeding problems, diabetes, or a slow heart beat or other problem with your heart rate or rhythm, plans to have surgery, had surgery on your face, weakness of your forehead muscles (such as trouble raising your eyebrows), drooping eyelids, or any other change in the way your face normally looks. Patients with a disease that affects muscles and nerves who are treated with typical doses of *Dysport* may have a higher risk of serious side effects, including severe swallowing and breathing problems.

Human Albumin

This product contains albumin taken from human plasma. Steps taken during donor screening and product manufacturing processes make the risk of spreading viral diseases extremely rare. In theory, there is also an extremely rare risk of contracting Creutzfeldt-Jakob disease (CJD). No cases of spread of viral diseases or CJD have ever been reported for albumin.

Allergic Reaction to Injecting in the Skin

It is not known if an allergic reaction can be caused by injecting *Dysport* into the skin. The safety of treating excessive sweating with *Dysport* is not known.

Common Side Effects

The most common side effects are nose and throat irritation, headache, injection site pain, injection site skin reaction, upper respiratory tract infection, eyelid swelling, eyelid drooping, sinus inflammation, and nausea.

Tell your doctor about all the medicines you take, including prescription and nonprescription medicines, vitamins and herbal and other natural products. Using *Dysport* with certain other medicines may cause serious side effects. **Do not start any new medicines while taking *Dysport* without talking to your doctor first.**

Especially tell your doctor if you: have received any other botulinum toxin product in the last four months, have received injections of botulinum toxin, such as Myobloc® (rimabotulinumtoxinB) or Botox® (onabotulinumtoxinA) in the past (be sure your doctor knows exactly which product you received), have recently received an antibiotic by injection, take muscle relaxants, take an allergy or cold medicine, or take a sleep medicine.

Use in Specific Populations

Dysport should not be used in children or in women who are pregnant or breastfeeding.

Ask your doctor if *Dysport* is right for you.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch or call 1-800-FDA-1088.

Please see *Dysport* Full Prescribing Information including Medication Guide at www.dysportusa.com.

MP-DYS-00108